



Ifw

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Kiraly, Peter Atilla et al.

Docket No.: 2003P10074 US01

Serial No.: 10/849,576

Filed: 05.19.04

Group Art Unit: 2882

Title: SYSTEM AND METHOD FOR DETECTING A PROTRUSION IN A MEDICAL IMAGE

CERTIFICATE OF MAILING

I hereby certify that correspondence is being deposited with the U.S. Postal Service with sufficient postage as first class mail on the below-indicated date in an envelope addressed to: Assistant Commissioner for Patents, Alexandria, VA 22313-1450

1/28/05
Date

Donald B. Paschburg
Donald B. Paschburg
Reg. No. 33,753

Mail Stop Patent Application
Assistant Commissioner for Patents
P.O.Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

Submitted herewith on Form PTO-1449 is a listing of documents cited on an International Search Report in order to comply with applicant's duty of disclosure pursuant to 37 C.F.R. §1.56. A copy of the listed documents and International Search Report (ISR) is being submitted to comply with the provisions of C.F.R. § 1.97-1.98.

Respectfully submitted,

Donald B. Paschburg
Donald B. Paschburg
Reg. No.: 33,753

Date: January 28, 2005


Siemens Corporation
Customer No. 28524
Tel.No.: +1 (732) 321 3191

Substitute for form 1449A/PTO

(use as many sheets as necessary)

Complete if Known

Application Number	10/849,576
Filing Date	05.19.04
First Named Inventor	Atilla Peter Kiraly
Art Unit	2882
Examiner Name	
Attorney Docket Number	2003P10074 US01



Sheet	1	of	2
-------	---	----	---

[illegible][illegible]

**Examiner
Signature**

Date Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet 2 of 2

Complete if Known

Application Number	10/849,576
Filing Date	05.19.04
First Named Inventor	Atilla Peter Kiraly
Group Art Unit	2882
Examiner Name	
Attorney Docket Number	2003P10074 US01

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
	2	Gibson, Sarah F.F., Using Distance Maps for Accurate Surface Representation in Sampled Volumes," <u>IEEE</u> 1998	
	3	Yoshida Hiroyuki et al., "Three-Dimensional Computer-Aided Diagnosis Scheme for Detection of Colonic Polyps," <u>IEEE Transactions on Medical Imaging</u> , 20:12 December 2001 XP-001101455	
	4	Göktürk et al., "A Statistical 3-D Pattern Processing Method for Computer-Aided Detection of Polyps in CT Colonography," <u>IEEE TRANSACTIONS ON MEDICAL IMAGING</u> 20:12 December 2001; XP-002303576	
	5	Kiss Gabriel et al. "Computer Aided Diagnosis for Virtual Colonography;" XP002308817	
	6	INTERNATIONAL SEARCH REPORT	

Examiner
SignatureDate
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.